

d Drahtstärke	Dm mittlerer Durchmesser	Da äußerer Durchmesser	s Steigung	c Federrate N / mm	g Gewicht pro Feder in Gramm	Bestell-Nr.	Preis-	Bestell-Nr.	Preis-
						Stahl	gruppe Stahl	Niro	gruppe Niro
0,12	1,08	1,20	0,6	1,69	0,500	DS-4000	140	NDS-4000	143
	0,98	1,10	0,5	2,26	0,544	DS-4001	140	NDS-4001	143
	0,88	1,00	0,4	3,12	0,610	DS-4002	140	NDS-4002	143
	0,68	0,80	0,3	6,76	0,629	DS-4003	140	NDS-4003	143
0,16	1,84	2,00	1,2	1,08	0,758	DS-4004	140	NDS-4004	143
	1,64	1,80	0,9	1,52	0,900	DS-4005	140	NDS-4005	143
	1,44	1,60	0,7	2,25	1,015	DS-4006	140	NDS-4006	143
	1,24	1,40	0,6	3,52	1,020	DS-4007	140	NDS-4007	143
	1,14	1,30	0,5	4,53	1,125	DS-4008	140	NDS-4008	143
	1,04	1,20	0,4	5,97	1,282	DS-4009	140	NDS-4009	143
0,20	0,84	1,00	0,3	11,33	1,381	DS-4010	140	NDS-4010	143
	2,90	3,10	1,5	0,67	1,493	DS-4011	139	NDS-4011	142
	2,50	2,70	1,2	1,05	1,608	DS-4012	139	NDS-4012	142
	2,30	2,50	1,1	1,35	1,614	DS-4013	139	NDS-4013	142
	2,00	2,20	1,0	2,05	1,543	DS-4014	139	NDS-4014	142
	1,80	2,00	0,8	2,81	1,735	DS-4015	139	NDS-4015	142
	1,60	1,80	0,7	4,00	1,763	DS-4016	139	NDS-4016	142
	1,30	1,50	0,5	7,46	2,004	DS-4017	139	NDS-4017	142
0,25	1,00	1,20	0,4	16,40	1,927	DS-4018	139	NDS-4018	142
	4,25	4,50	3,2	0,52	1,608	DS-4019	139	NDS-4019	142
	3,75	4,00	2,8	0,76	1,620	DS-4020	136	NDS-4020	139
	3,55	3,80	2,5	0,90	1,717	DS-4021	136	NDS-4021	139
	3,25	3,50	2,1	1,17	1,870	DS-4022	136	NDS-4022	139
	2,95	3,20	1,8	1,56	1,979	DS-4023	136	NDS-4023	139
	2,75	3,00	1,6	1,93	2,075	DS-4024	136	NDS-4024	139
	2,55	2,80	1,4	2,41	2,198	DS-4025	136	NDS-4025	139
	2,25	2,50	1,1	3,52	2,467	DS-4026	136	NDS-4026	139
	2,05	2,30	1,0	4,65	2,472	DS-4027	136	NDS-4027	139
	1,75	2,00	0,8	7,47	2,636	DS-4028	136	NDS-4028	139
0,30	3,70	4,00	2,4	1,64	2,684	DS-4029	136	NDS-4029	139
	3,30	3,60	2,0	2,31	2,870	DS-4030	136	NDS-4030	140
	2,90	3,20	1,6	3,40	3,150	DS-4031	136	NDS-4031	140
	2,70	3,00	1,4	4,22	3,351	DS-4032	136	NDS-4032	140
	2,20	2,50	1,0	7,80	3,819	DS-4033	136	NDS-4033	140
	1,90	2,20	0,8	12,10	4,122	DS-4034	136	NDS-4034	140
0,32	4,18	4,50	2,7	1,47	3,068	DS-4035	136	NDS-4035	140
	3,98	4,30	2,2	1,70	3,582	DS-4036	136	NDS-4036	139
	3,68	4,00	2,1	2,16	3,469	DS-4037	136	NDS-4037	139
	3,48	3,80	2,0	2,55	3,444	DS-4038	136	NDS-4038	139
	3,18	3,50	1,8	3,34	3,495	DS-4039	136	NDS-4039	139
	2,88	3,20	1,5	4,50	3,796	DS-4040	136	NDS-4040	139
	2,68	3,00	1,3	5,58	4,075	DS-4041	136	NDS-4041	139
	2,50	2,82	1,0	6,88	4,938	DS-4042	136	NDS-4042	139

d Drahtstärke	Dm mittlerer Durchmesser	Da äußerer Durchmesser	s Steigung	c Federrate N / mm	g Gewicht pro Feder in Gramm	Bestell-Nr.  Stahl	Preis- gruppe Stahl	Bestell-Nr.  Niro	Preis- gruppe Niro
<b>0,32</b>	2,18	<b>2,50</b>	0,9	10,37	4,784	<b>DS-4043</b>	136	<b>NDS-4043</b>	139
	2,00	<b>2,32</b>	0,8	13,43	4,936	<b>DS-4044</b>	136	<b>NDS-4044</b>	139
	1,68	<b>2,00</b>	0,7	22,67	4,738	<b>DS-4045</b>	136	<b>NDS-4045</b>	139
	1,48	<b>1,80</b>	0,6	33,15	4,868	<b>DS-4046</b>	136	<b>NDS-4046</b>	139
<b>0,40</b>	6,60	<b>7,00</b>	3,5	0,91	5,849	<b>DS-4047</b>	136	<b>NDS-4047</b>	139
	6,45	<b>6,85</b>	3,2	0,98	6,248	<b>DS-4048</b>	136	<b>NDS-4048</b>	139
	5,60	<b>6,00</b>	3,0	1,49	5,784	<b>DS-4049</b>	136	<b>NDS-4049</b>	139
	5,00	<b>5,40</b>	2,3	2,10	6,727	<b>DS-4050</b>	136	<b>NDS-4050</b>	139
	4,60	<b>5,00</b>	2,0	2,70	7,113	<b>DS-4051</b>	136	<b>NDS-4051</b>	139
	4,40	<b>4,80</b>	1,9	3,08	7,160	<b>DS-4052</b>	136	<b>NDS-4052</b>	139
	4,00	<b>4,40</b>	1,5	4,10	8,238	<b>DS-4053</b>	136	<b>NDS-4053</b>	139
	3,60	<b>4,00</b>	1,3	5,62	8,552	<b>DS-4054</b>	136	<b>NDS-4054</b>	139
	3,20	<b>3,60</b>	1,1	8,01	8,980	<b>DS-4055</b>	136	<b>NDS-4055</b>	139
	2,80	<b>3,20</b>	1,1	11,95	7,858	<b>DS-4056</b>	136	<b>NDS-4056</b>	139
	2,70	<b>3,10</b>	1,1	13,33	7,577	<b>DS-4057</b>	136	<b>NDS-4057</b>	139
	2,60	<b>3,00</b>	1,1	14,93	7,296	<b>DS-4058</b>	136	<b>NDS-4058</b>	139
	2,50	<b>2,90</b>	1,0	16,79	7,716	<b>DS-4059</b>	136	<b>NDS-4059</b>	139
	2,20	<b>2,60</b>	0,9	24,64	7,543	<b>DS-4060</b>	136	<b>NDS-4060</b>	139
	2,00	<b>2,40</b>	0,8	32,80	7,713	<b>DS-4061</b>	136	<b>NDS-4061</b>	139
	1,80	<b>2,20</b>	0,7	44,99	7,931	<b>DS-4062</b>	136	<b>NDS-4062</b>	139
	1,60	<b>2,00</b>	0,7	64,06	7,592	<b>DS-4063</b>	136	<b>NDS-4063</b>	139
	1,40	<b>1,80</b>	0,6	95,63	7,196	<b>DS-4064</b>	136	<b>NDS-4064</b>	139
<b>0,50</b>	11,00	<b>11,50</b>	10,0	0,48	5,400	<b>DS-4065</b>	136	<b>NDS-4065</b>	139
	10,50	<b>11,00</b>	9,0	0,55	5,716	<b>DS-4066</b>	136	<b>NDS-4066</b>	139
	9,50	<b>10,00</b>	8,0	0,75	5,807	<b>DS-4067</b>	136	<b>NDS-4067</b>	139
	8,50	<b>9,00</b>	7,0	1,04	5,926	<b>DS-4068</b>	136	<b>NDS-4068</b>	139
	8,00	<b>8,50</b>	3,4	1,25	11,401	<b>DS-4069</b>	136	<b>NDS-4069</b>	139
	7,50	<b>8,00</b>	3,0	1,52	12,104	<b>DS-4070</b>	136	<b>NDS-4070</b>	139
	7,10	<b>7,60</b>	2,8	1,79	12,272	<b>DS-4071</b>	136	<b>NDS-4071</b>	139
	6,80	<b>7,30</b>	4,5	2,04	7,338	<b>DS-4072</b>	136	<b>NDS-4072</b>	139
	6,50	<b>7,00</b>	2,8	2,33	11,235	<b>DS-4073</b>	136	<b>NDS-4073</b>	139
	6,30	<b>6,80</b>	2,8	2,56	10,889	<b>DS-4074</b>	136	<b>NDS-4074</b>	139
	6,00	<b>6,50</b>	3,6	2,97	8,079	<b>DS-4075</b>	136	<b>NDS-4075</b>	139
	5,80	<b>6,30</b>	3,1	3,28	8,974	<b>DS-4076</b>	136	<b>NDS-4076</b>	139
	5,50	<b>6,00</b>	2,8	3,85	9,507	<b>DS-4077</b>	136	<b>NDS-4077</b>	139
	5,30	<b>5,80</b>	2,8	4,30	9,161	<b>DS-4078</b>	136	<b>NDS-4078</b>	139
	5,10	<b>5,60</b>	2,8	4,83	8,815	<b>DS-4079</b>	136	<b>NDS-4079</b>	139
	5,00	<b>5,50</b>	2,0	5,13	12,080	<b>DS-4080</b>	136	<b>NDS-4080</b>	139
	4,80	<b>5,30</b>	2,0	5,79	11,597	<b>DS-4081</b>	136	<b>NDS-4081</b>	139
	4,50	<b>5,00</b>	1,8	7,03	12,075	<b>DS-4082</b>	136	<b>NDS-4082</b>	139
4,00	<b>4,50</b>	1,6	10,01	12,070	<b>DS-4083</b>	136	<b>NDS-4083</b>	139	
3,50	<b>4,00</b>	1,5	14,94	11,263	<b>DS-4084</b>	136	<b>NDS-4084</b>	139	
3,30	<b>3,80</b>	1,3	17,83	12,249	<b>DS-4085</b>	136	<b>NDS-4085</b>	139	

d Drahtstärke	Dm mittlerer Durchmesser	Da äußerer Durchmesser	s Steigung	c Federrate N / mm	g Gewicht pro Feder in Gramm	Bestell-Nr.	Preis-	Bestell-Nr.	Preis-
						Stahl	gruppe Stahl	Niro	gruppe Niro
<b>0,50</b>	3,00	<b>3,50</b>	1,2	23,73	12,061	<b>DS-4086</b>	136	<b>NDS-4086</b>	139
	2,70	<b>3,20</b>	1,1	32,55	11,839	<b>DS-4087</b>	136	<b>NDS-4087</b>	139
	2,50	<b>3,00</b>	1,0	41,00	12,056	<b>DS-4088</b>	136	<b>NDS-4088</b>	139
	2,30	<b>2,80</b>	0,9	52,65	12,321	<b>DS-4089</b>	136	<b>NDS-4089</b>	139
	2,00	<b>2,50</b>	0,8	80,08	11,758	<b>DS-4090</b>	136	<b>NDS-4090</b>	139
<b>0,55</b>	8,45	<b>9,00</b>	4,5	1,55	11,033	<b>DS-4091</b>	136	<b>NDS-4091</b>	139
	7,95	<b>8,50</b>	5,8	1,87	8,075	<b>DS-4092</b>	136	<b>NDS-4092</b>	139
	7,45	<b>8,00</b>	4,0	2,27	10,933	<b>DS-4093</b>	136	<b>NDS-4093</b>	139
	6,95	<b>7,50</b>	4,4	2,79	9,279	<b>DS-4094</b>	136	<b>NDS-4094</b>	139
	6,45	<b>7,00</b>	3,5	3,50	10,807	<b>DS-4095</b>	136	<b>NDS-4095</b>	139
	5,95	<b>6,50</b>	3,4	4,45	10,260	<b>DS-4096</b>	136	<b>NDS-4096</b>	139
	5,45	<b>6,00</b>	3,0	5,79	10,643	<b>DS-4097</b>	136	<b>NDS-4097</b>	139
	4,95	<b>5,50</b>	2,5	7,73	11,588	<b>DS-4098</b>	136	<b>NDS-4098</b>	139
	4,45	<b>5,00</b>	2,1	10,64	12,392	<b>DS-4099</b>	136	<b>NDS-4099</b>	139
	3,95	<b>4,50</b>	1,7	15,22	13,577	<b>DS-4100</b>	136	<b>NDS-4100</b>	139
	3,45	<b>4,00</b>	1,4	22,84	14,391	<b>DS-4101</b>	136	<b>NDS-4101</b>	139
	2,95	<b>3,50</b>	1,2	36,54	14,350	<b>DS-4102</b>	136	<b>NDS-4102</b>	139
	2,45	<b>3,00</b>	1,0	63,78	14,296	<b>DS-4103</b>	136	<b>NDS-4103</b>	139
<b>0,60</b>	10,40	<b>11,00</b>	8,0	1,18	9,154	<b>DS-4104</b>	136	<b>NDS-4104</b>	139
	9,40	<b>10,00</b>	7,3	1,60	9,054	<b>DS-4105</b>	136	<b>NDS-4105</b>	139
	8,40	<b>9,00</b>	6,0	2,24	9,819	<b>DS-4106</b>	136	<b>NDS-4106</b>	139
	7,40	<b>8,00</b>	4,6	3,28	11,251	<b>DS-4107</b>	136	<b>NDS-4107</b>	139
	6,40	<b>7,00</b>	3,2	5,07	13,949	<b>DS-4108</b>	136	<b>NDS-4108</b>	139
	5,40	<b>6,00</b>	2,4	8,44	15,668	<b>DS-4109</b>	136	<b>NDS-4109</b>	139
	5,10	<b>5,70</b>	2,2	10,01	16,136	<b>DS-4110</b>	136	<b>NDS-4110</b>	139
	4,40	<b>5,00</b>	1,9	15,59	16,110	<b>DS-4111</b>	136	<b>NDS-4111</b>	139
	3,40	<b>4,00</b>	1,4	33,80	16,878	<b>DS-4112</b>	136	<b>NDS-4112</b>	139
	2,40	<b>3,00</b>	1,0	96,09	16,666	<b>DS-4113</b>	136	<b>NDS-4113</b>	139
	<b>0,63</b>	11,87	<b>12,50</b>	9,0	0,97	10,259	<b>DS-4114</b>	137	<b>NDS-4114</b>
10,97		<b>11,60</b>	8,0	1,22	10,645	<b>DS-4115</b>	137	<b>NDS-4115</b>	140
9,87		<b>10,50</b>	5,5	1,68	13,862	<b>DS-4116</b>	137	<b>NDS-4116</b>	140
9,37		<b>10,00</b>	5,4	1,96	13,401	<b>DS-4117</b>	137	<b>NDS-4117</b>	140
8,87		<b>9,50</b>	5,2	2,31	13,169	<b>DS-4118</b>	137	<b>NDS-4118</b>	140
8,37		<b>9,00</b>	4,5	2,75	14,340	<b>DS-4119</b>	137	<b>NDS-4119</b>	140
8,00		<b>8,63</b>	3,0	3,15	20,497	<b>DS-4120</b>	137	<b>NDS-4120</b>	140
7,37		<b>8,00</b>	2,8	4,03	20,224	<b>DS-4121</b>	137	<b>NDS-4121</b>	140
6,87		<b>7,50</b>	2,7	4,98	19,546	<b>DS-4122</b>	137	<b>NDS-4122</b>	140
6,30		<b>6,93</b>	2,0	6,46	24,164	<b>DS-4123</b>	137	<b>NDS-4123</b>	140
5,87		<b>6,50</b>	2,0	7,98	22,515	<b>DS-4124</b>	137	<b>NDS-4124</b>	140
5,60		<b>6,23</b>	2,0	9,19	21,480	<b>DS-4125</b>	137	<b>NDS-4125</b>	140
5,40		<b>6,03</b>	1,9	10,25	21,798	<b>DS-4126</b>	137	<b>NDS-4126</b>	140
5,00		<b>5,63</b>	1,5	12,92	25,545	<b>DS-4127</b>	137	<b>NDS-4127</b>	140
4,67		<b>5,30</b>	1,5	15,85	23,859	<b>DS-4128</b>	137	<b>NDS-4128</b>	140

d Drahtstärke	Dm mittlerer Durchmesser	Da äußerer Durchmesser	s Steigung	c Federrate N / mm	g Gewicht pro Feder in Gramm	Bestell-Nr.	Preis-	Bestell-Nr.	Preis-
						Stahl	gruppe Stahl	Niro	gruppe Niro
<b>0,63</b>	4,37	<b>5,00</b>	1,4	19,35	23,917	<b>DS-4129</b>	137	<b>NDS-4129</b>	140
	4,00	<b>4,63</b>	1,5	25,23	20,436	<b>DS-4130</b>	137	<b>NDS-4130</b>	140
	3,67	<b>4,30</b>	1,5	32,67	18,750	<b>DS-4131</b>	137	<b>NDS-4131</b>	140
	3,37	<b>4,00</b>	1,4	42,19	18,444	<b>DS-4132</b>	137	<b>NDS-4132</b>	140
	3,20	<b>3,83</b>	1,2	49,28	20,424	<b>DS-4133</b>	137	<b>NDS-4133</b>	140
	2,87	<b>3,50</b>	1,1	68,30	19,979	<b>DS-4134</b>	137	<b>NDS-4134</b>	140
	2,67	<b>3,30</b>	1,1	84,83	18,587	<b>DS-4135</b>	137	<b>NDS-4135</b>	140
	2,37	<b>3,00</b>	1,0	121,29	18,145	<b>DS-4136</b>	137	<b>NDS-4136</b>	140
<b>0,70</b>	11,30	<b>12,00</b>	5,0	1,71	21,532	<b>DS-4137</b>	138	<b>NDS-4137</b>	141
	10,40	<b>11,10</b>	4,5	2,19	21,997	<b>DS-4138</b>	138	<b>NDS-4138</b>	141
	9,30	<b>10,00</b>	4,0	3,06	22,107	<b>DS-4139</b>	137	<b>NDS-4139</b>	141
	8,30	<b>9,00</b>	4,0	4,30	19,730	<b>DS-4140</b>	137	<b>NDS-4140</b>	141
	7,50	<b>8,20</b>	4,0	5,83	17,828	<b>DS-4141</b>	137	<b>NDS-4141</b>	141
	7,30	<b>8,00</b>	3,8	6,33	18,259	<b>DS-4142</b>	137	<b>NDS-4142</b>	141
	6,80	<b>7,50</b>	3,5	7,83	18,455	<b>DS-4143</b>	137	<b>NDS-4143</b>	141
	6,30	<b>7,00</b>	3,2	9,84	18,690	<b>DS-4144</b>	137	<b>NDS-4144</b>	141
	6,00	<b>6,70</b>	2,5	11,39	22,752	<b>DS-4145</b>	137	<b>NDS-4145</b>	141
	5,60	<b>6,30</b>	2,3	14,01	23,073	<b>DS-4146</b>	137	<b>NDS-4146</b>	141
	5,30	<b>6,00</b>	2,2	16,53	22,825	<b>DS-4147</b>	137	<b>NDS-4147</b>	141
	5,00	<b>5,70</b>	1,5	19,69	31,537	<b>DS-4148</b>	137	<b>NDS-4148</b>	141
	4,80	<b>5,50</b>	2,0	22,25	22,730	<b>DS-4149</b>	137	<b>NDS-4149</b>	141
	4,30	<b>5,00</b>	1,5	30,95	27,122	<b>DS-4150</b>	137	<b>NDS-4150</b>	141
	3,80	<b>4,50</b>	1,4	44,85	25,675	<b>DS-4151</b>	137	<b>NDS-4151</b>	141
	3,30	<b>4,00</b>	1,3	68,48	24,007	<b>DS-4152</b>	137	<b>NDS-4152</b>	141
2,80	<b>3,50</b>	0,9	112,11	29,400	<b>DS-4153</b>	137	<b>NDS-4153</b>	141	
<b>0,80</b>	13,20	<b>14,00</b>	5,5	1,83	29,895	<b>DS-4154</b>	139	<b>NDS-4154</b>	142
	12,20	<b>13,00</b>	5,3	2,31	28,661	<b>DS-4155</b>	138	<b>NDS-4155</b>	142
	11,20	<b>12,00</b>	5,0	2,99	27,874	<b>DS-4156</b>	138	<b>NDS-4156</b>	142
	10,20	<b>11,00</b>	4,8	3,96	26,433	<b>DS-4157</b>	138	<b>NDS-4157</b>	142
	10,00	<b>10,80</b>	3,5	4,20	35,448	<b>DS-4158</b>	138	<b>NDS-4158</b>	142
	9,20	<b>10,00</b>	3,3	5,39	34,575	<b>DS-4159</b>	138	<b>NDS-4159</b>	142
	8,50	<b>9,30</b>	3,0	6,84	35,118	<b>DS-4160</b>	138	<b>NDS-4160</b>	142
	8,20	<b>9,00</b>	2,8	7,61	36,284	<b>DS-4161</b>	139	<b>NDS-4161</b>	142
	8,00	<b>8,80</b>	2,5	8,20	39,623	<b>DS-4162</b>	139	<b>NDS-4162</b>	142
	7,20	<b>8,00</b>	2,5	11,25	35,661	<b>DS-4163</b>	139	<b>NDS-4163</b>	142
	6,70	<b>7,50</b>	2,4	13,96	34,560	<b>DS-4164</b>	139	<b>NDS-4164</b>	142
	6,30	<b>7,10</b>	1,8	16,79	43,277	<b>DS-4165</b>	139	<b>NDS-4165</b>	142
	5,70	<b>6,50</b>	1,8	22,67	39,156	<b>DS-4166</b>	139	<b>NDS-4166</b>	142
	5,20	<b>6,00</b>	1,8	29,86	35,721	<b>DS-4167</b>	139	<b>NDS-4167</b>	142
	5,00	<b>5,80</b>	1,8	33,59	34,347	<b>DS-4168</b>	139	<b>NDS-4168</b>	142
	4,50	<b>5,30</b>	1,7	46,07	32,724	<b>DS-4169</b>	139	<b>NDS-4169</b>	142
	4,20	<b>5,00</b>	1,7	56,67	30,543	<b>DS-4170</b>	139	<b>NDS-4170</b>	142
	4,00	<b>4,80</b>	1,5	65,60	32,953	<b>DS-4171</b>	139	<b>NDS-4171</b>	142

d Drahtstärke	Dm mittlerer Durchmesser	Da äußerer Durchmesser	s Steigung	c Federrate N / mm	g Gewicht pro Feder in Gramm	Bestell-Nr.  Stahl	Preis- gruppe Stahl	Bestell-Nr.  Niro	Preis- gruppe Niro
<b>0,80</b>	3,70	<b>4,50</b>	1,5	82,89	30,482	<b>DS-4172</b>	139	<b>NDS-4172</b>	142
	3,20	<b>4,00</b>	1,3	128,13	30,406	<b>DS-4173</b>	138	<b>NDS-4173</b>	142
<b>0,90</b>	14,10	<b>15,00</b>	5,5	2,40	40,415	<b>DS-4174</b>	139	<b>NDS-4174</b>	141
	13,10	<b>14,00</b>	4,5	2,99	45,802	<b>DS-4175</b>	139	<b>NDS-4175</b>	141
	12,10	<b>13,00</b>	4,0	3,80	47,547	<b>DS-4176</b>	139	<b>NDS-4176</b>	141
	11,10	<b>12,00</b>	3,5	4,92	49,799	<b>DS-4177</b>	139	<b>NDS-4177</b>	141
	10,10	<b>11,00</b>	3,0	6,53	52,812	<b>DS-4178</b>	139	<b>NDS-4178</b>	141
	9,40	<b>10,30</b>	2,5	8,10	58,924	<b>DS-4179</b>	139	<b>NDS-4179</b>	141
	9,10	<b>10,00</b>	2,3	8,92	61,979	<b>DS-4180</b>	139	<b>NDS-4180</b>	141
	8,10	<b>9,00</b>	2,2	12,65	57,664	<b>DS-4181</b>	139	<b>NDS-4181</b>	141
	7,10	<b>8,00</b>	2,2	18,79	50,545	<b>DS-4182</b>	139	<b>NDS-4182</b>	141
	6,00	<b>6,90</b>	2,2	31,13	42,714	<b>DS-4183</b>	139	<b>NDS-4183</b>	141
	5,10	<b>6,00</b>	1,8	50,70	44,340	<b>DS-4184</b>	139	<b>NDS-4184</b>	141
	4,50	<b>5,40</b>	1,8	73,80	39,123	<b>DS-4185</b>	139	<b>NDS-4185</b>	141
	4,10	<b>5,00</b>	1,6	97,58	40,085	<b>DS-4186</b>	139	<b>NDS-4186</b>	141
	3,60	<b>4,50</b>	1,5	144,14	37,536	<b>DS-4187</b>	139	<b>NDS-4187</b>	141
<b>1,00</b>	17,00	<b>18,00</b>	5,8	2,09	57,080	<b>DS-4188</b>	139	<b>NDS-4188</b>	142
	16,00	<b>17,00</b>	5,5	2,50	56,619	<b>DS-4189</b>	139	<b>NDS-4189</b>	142
	15,00	<b>16,00</b>	5,0	3,04	58,330	<b>DS-4190</b>	139	<b>NDS-4190</b>	142
	14,00	<b>15,00</b>	4,8	3,74	56,687	<b>DS-4191</b>	139	<b>NDS-4191</b>	142
	13,00	<b>14,00</b>	4,6	4,67	54,905	<b>DS-4192</b>	139	<b>NDS-4192</b>	142
	12,50	<b>13,50</b>	4,4	5,25	55,171	<b>DS-4193</b>	139	<b>NDS-4193</b>	142
	12,00	<b>13,00</b>	4,0	5,93	58,215	<b>DS-4194</b>	139	<b>NDS-4194</b>	142
	11,60	<b>12,60</b>	6,7	6,57	33,777	<b>DS-4195</b>	139	<b>NDS-4195</b>	142
	11,00	<b>12,00</b>	4,0	7,70	53,363	<b>DS-4196</b>	139	<b>NDS-4196</b>	142
	10,00	<b>11,00</b>	3,0	10,25	64,555	<b>DS-4197</b>	139	<b>NDS-4197</b>	142
	9,30	<b>10,30</b>	3,0	12,74	60,036	<b>DS-4198</b>	139	<b>NDS-4198</b>	142
	9,00	<b>10,00</b>	3,0	14,06	58,099	<b>DS-4199</b>	139	<b>NDS-4199</b>	142
	8,00	<b>9,00</b>	2,5	20,02	61,911	<b>DS-4200</b>	139	<b>NDS-4200</b>	142
	7,70	<b>8,70</b>	2,2	22,45	67,675	<b>DS-4201</b>	139	<b>NDS-4201</b>	142
	7,30	<b>8,30</b>	2,4	26,35	58,836	<b>DS-4202</b>	139	<b>NDS-4202</b>	142
	7,00	<b>8,00</b>	2,4	29,88	56,418	<b>DS-4203</b>	139	<b>NDS-4203</b>	142
	6,30	<b>7,30</b>	2,0	40,99	60,883	<b>DS-4204</b>	139	<b>NDS-4204</b>	142
	6,00	<b>7,00</b>	2,0	47,45	57,984	<b>DS-4205</b>	139	<b>NDS-4205</b>	142
	5,30	<b>6,30</b>	1,8	68,85	56,887	<b>DS-4206</b>	139	<b>NDS-4206</b>	142
	5,00	<b>6,00</b>	1,8	82,00	53,667	<b>DS-4207</b>	139	<b>NDS-4207</b>	142
4,80	<b>5,80</b>	1,8	92,68	51,521	<b>DS-4208</b>	139	<b>NDS-4208</b>	142	
4,10	<b>5,10</b>	1,6	148,72	49,488	<b>DS-4209</b>	139	<b>NDS-4209</b>	142	
4,00	<b>5,00</b>	1,5	160,16	51,490	<b>DS-4210</b>	139	<b>NDS-4210</b>	142	
<b>1,10</b>	17,90	<b>19,00</b>	8,5	2,62	49,887	<b>DS-4211</b>	140	<b>NDS-4211</b>	143
	16,90	<b>18,00</b>	8,3	3,11	48,216	<b>DS-4212</b>	140	<b>NDS-4212</b>	143
	15,90	<b>17,00</b>	8,0	3,73	47,037	<b>DS-4213</b>	140	<b>NDS-4213</b>	143
	14,90	<b>16,00</b>	7,5	4,54	46,971	<b>DS-4214</b>	140	<b>NDS-4214</b>	143

d Drahtstärke	Dm mittlerer Durchmesser	Da äußerer Durchmesser	s Steigung	c Federrate N / mm	g Gewicht pro Feder in Gramm	Bestell-Nr.  Stahl	Preis- gruppe Stahl	Bestell-Nr.  Niro	Preis- gruppe Niro
1,10	13,90	15,00	7,0	5,59	46,902	DS-4215	140	NDS-4215	143
	13,60	14,70	7,5	5,97	42,873	DS-4216	140	NDS-4216	143
	12,90	14,00	6,0	6,99	50,682	DS-4217	140	NDS-4217	143
	11,90	13,00	5,8	8,91	48,346	DS-4218	140	NDS-4218	143
	10,90	12,00	5,4	11,59	47,526	DS-4219	140	NDS-4219	143
	9,90	11,00	4,7	15,47	49,526	DS-4220	140	NDS-4220	143
	8,90	10,00	4,0	21,29	52,243	DS-4221	140	NDS-4221	143
	7,90	9,00	3,3	30,44	56,131	DS-4222	140	NDS-4222	143
	6,90	8,00	2,6	45,68	62,139	DS-4223	140	NDS-4223	143
	6,40	7,50	2,5	57,25	59,930	DS-4224	140	NDS-4224	143
	5,90	7,00	2,3	73,07	60,028	DS-4225	140	NDS-4225	143
	4,90	6,00	1,9	127,56	60,301	DS-4226	140	NDS-4226	143
	4,40	5,50	1,8	176,17	57,145	DS-4227	140	NDS-4227	143
3,90	5,00	1,6	252,99	56,960	DS-4228	140	NDS-4228	143	
1,25	17,75	19,00	8,0	4,47	67,807	DS-4229	140	NDS-4229	143
	16,75	18,00	7,5	5,33	68,185	DS-4230	140	NDS-4230	143
	16,00	17,25	7,5	6,11	65,132	DS-4231	140	NDS-4231	143
	15,75	17,00	7,3	6,41	65,845	DS-4232	140	NDS-4232	143
	14,75	16,00	7,0	7,80	64,269	DS-4233	140	NDS-4233	143
	13,95	15,20	7,2	9,22	59,118	DS-4234	140	NDS-4234	143
	13,75	15,00	6,5	9,63	64,457	DS-4235	140	NDS-4235	143
	12,75	14,00	6,0	12,07	64,686	DS-4236	140	NDS-4236	143
	12,50	13,75	4,8	12,81	79,084	DS-4237	140	NDS-4237	143
	11,75	13,00	4,5	15,43	79,248	DS-4238	140	NDS-4238	143
	10,75	12,00	4,3	20,14	75,845	DS-4239	140	NDS-4239	143
	10,00	11,25	3,8	25,02	79,758	DS-4240	140	NDS-4240	143
	9,75	11,00	3,6	27,00	82,052	DS-4241	140	NDS-4241	143
	8,75	10,00	3,5	37,35	75,725	DS-4242	140	NDS-4242	143
	8,00	9,25	3,2	48,88	75,680	DS-4243	140	NDS-4243	143
	7,75	9,00	3,0	53,76	78,172	DS-4244	140	NDS-4244	143
	6,75	8,00	2,6	81,37	78,497	DS-4245	140	NDS-4245	143
	6,30	7,55	2,4	100,08	79,338	DS-4246	140	NDS-4246	143
5,75	7,00	2,2	131,63	78,963	DS-4247	140	NDS-4247	143	
5,55	6,80	2,2	146,38	76,216	DS-4248	140	NDS-4248	143	
4,75	6,00	1,9	233,50	75,485	DS-4249	140	NDS-4249	143	
1,30	16,70	18,00	9,0	6,29	61,455	DS-4250	140	NDS-4250	143
	14,70	16,00	7,5	9,22	64,723	DS-4251	140	NDS-4251	143
	12,70	14,00	6,0	14,29	69,690	DS-4252	140	NDS-4252	143
	10,70	12,00	4,5	23,90	78,055	DS-4253	140	NDS-4253	143
	8,70	10,00	3,6	44,46	79,190	DS-4254	140	NDS-4254	143
	6,70	8,00	2,5	97,34	87,627	DS-4255	140	NDS-4255	143
	6,00	7,30	2,3	135,53	85,262	DS-4256	140	NDS-4256	143
	4,70	6,00	1,9	281,97	80,785	DS-4257	140	NDS-4257	143

d Drahtstärke	Dm mittlerer Durchmesser	Da äußerer Durchmesser	s Steigung	c Federrate N / mm	g Gewicht pro Feder in Gramm	Bestell-Nr.	Preis-	Bestell-Nr.	Preis-
						Stahl	gruppe Stahl	Niro	gruppe Niro
1,40	22,60	<b>24,00</b>	15,0	3,41	58,555	DS-4258	140	NDS-4258	143
	20,60	<b>22,00</b>	12,0	4,50	66,327	DS-4259	140	NDS-4259	143
	18,90	<b>20,30</b>	9,0	5,83	80,663	DS-4260	140	NDS-4260	143
	16,60	<b>18,00</b>	8,0	8,61	79,546	DS-4261	140	NDS-4261	143
	14,60	<b>16,00</b>	6,0	12,65	92,916	DS-4262	140	NDS-4262	143
	13,60	<b>15,00</b>	5,5	15,65	94,327	DS-4263	140	NDS-4263	143
	12,00	<b>13,40</b>	4,3	22,79	106,203	DS-4264	140	NDS-4264	143
	9,60	<b>11,00</b>	3,5	44,51	104,217	DS-4265	140	NDS-4265	143
	8,60	<b>10,00</b>	3,0	61,91	108,813	DS-4266	140	NDS-4266	143
	7,80	<b>9,20</b>	3,0	82,98	98,691	DS-4267	140	NDS-4267	143
	6,80	<b>8,20</b>	2,6	125,23	99,196	DS-4268	140	NDS-4268	143
	5,70	<b>7,10</b>	2,2	212,62	98,190	DS-4269	140	NDS-4269	143
	4,60	<b>6,00</b>	2,0	404,54	87,130	DS-4270	140	NDS-4270	143
1,50	22,50	<b>24,00</b>	15,0	4,56	66,921	DS-4271	141	NDS-4271	144
	20,50	<b>22,00</b>	12,0	6,02	75,771	DS-4272	141	NDS-4272	144
	18,50	<b>20,00</b>	10,1	8,20	80,941	DS-4273	141	NDS-4273	144
	16,50	<b>18,00</b>	8,0	11,55	90,765	DS-4274	141	NDS-4274	144
	14,50	<b>16,00</b>	6,0	17,02	105,933	DS-4275	141	NDS-4275	144
	12,30	<b>13,80</b>	3,3	27,89	162,510	DS-4276	141	NDS-4276	144
	10,50	<b>12,00</b>	4,2	44,83	109,196	DS-4277	141	NDS-4277	144
	8,50	<b>10,00</b>	3,2	84,50	115,790	DS-4278	141	NDS-4278	144
	6,50	<b>8,00</b>	2,5	188,95	113,181	DS-4279	141	NDS-4279	144
1,60	26,40	<b>28,00</b>	14,0	3,65	95,534	DS-4280	141	NDS-4280	144
	24,40	<b>26,00</b>	12,0	4,62	102,612	DS-4281	141	NDS-4281	144
	22,40	<b>24,00</b>	10,0	5,98	112,600	DS-4282	141	NDS-4282	144
	22,00	<b>23,60</b>	9,2	6,31	120,017	DS-4283	141	NDS-4283	144
	20,40	<b>22,00</b>	9,1	7,91	112,490	DS-4284	141	NDS-4284	144
	20,00	<b>21,60</b>	9,0	8,40	111,487	DS-4285	141	NDS-4285	144
	18,20	<b>19,80</b>	8,0	11,14	113,911	DS-4286	141	NDS-4286	144
	16,00	<b>17,60</b>	6,5	16,40	122,887	DS-4287	141	NDS-4287	144
	15,40	<b>17,00</b>	7,2	18,39	106,927	DS-4288	141	NDS-4288	144
	15,10	<b>16,70</b>	6,8	19,51	110,924	DS-4289	141	NDS-4289	144
	12,50	<b>14,10</b>	4,2	34,39	147,905	DS-4290	141	NDS-4290	144
	13,50	<b>15,10</b>	4,6	27,30	145,963	DS-4291	141	NDS-4291	144
	12,20	<b>13,80</b>	4,8	36,99	126,462	DS-4292	141	NDS-4292	144
	11,10	<b>12,70</b>	4,0	49,12	137,852	DS-4293	141	NDS-4293	144
	10,40	<b>12,00</b>	3,9	59,72	132,444	DS-4294	141	NDS-4294	144
	10,00	<b>11,60</b>	3,8	67,17	130,676	DS-4295	141	NDS-4295	144
	9,60	<b>11,20</b>	3,6	75,93	132,366	DS-4296	141	NDS-4296	144
	8,40	<b>10,00</b>	3,1	113,34	134,367	DS-4297	141	NDS-4297	144
	8,00	<b>9,60</b>	3,0	131,20	132,208	DS-4298	141	NDS-4298	144
	7,40	<b>9,00</b>	2,8	165,77	130,975	DS-4299	141	NDS-4299	144
	6,40	<b>8,00</b>	2,5	256,25	126,793	DS-4300	141	NDS-4300	144

d Drahtstärke	Dm mittlerer Durchmesser	Da äußerer Durchmesser	s Steigung	c Federrate N / mm	g Gewicht pro Feder in Gramm	Bestell-Nr.  Stahl	Preis- gruppe Stahl	Bestell-Nr.  Niro	Preis- gruppe Niro
1,80	28,20	30,00	15,0	4,80	120,779	DS-4301	141	NDS-4301	144
	26,20	28,00	13,0	5,98	128,974	DS-4302	141	NDS-4302	144
	24,20	26,00	12,0	7,59	128,804	DS-4303	141	NDS-4303	144
	22,00	23,80	10,0	10,11	139,965	DS-4304	141	NDS-4304	144
	20,20	22,00	9,0	13,05	142,512	DS-4305	141	NDS-4305	144
	18,20	20,00	8,0	17,85	144,169	DS-4306	141	NDS-4306	144
	17,30	19,10	8,0	20,78	137,039	DS-4307	141	NDS-4307	144
	16,20	18,00	7,0	25,31	146,369	DS-4308	141	NDS-4308	144
	14,20	16,00	6,0	37,58	149,387	DS-4309	141	NDS-4309	144
	12,20	14,00	4,6	59,26	166,946	DS-4310	141	NDS-4310	144
	11,20	13,00	4,0	76,59	176,041	DS-4311	141	NDS-4311	144
	10,20	12,00	3,7	101,39	173,219	DS-4312	141	NDS-4312	144
	9,20	11,00	3,5	138,18	165,099	DS-4313	141	NDS-4313	144
	8,20	10,00	3,0	195,15	171,509	DS-4314	141	NDS-4314	144
7,20	9,00	2,8	288,28	161,285	DS-4315	141	NDS-4315	144	
2,00	32,00	34,00	16,0	5,00	158,935	DS-4316	141	NDS-4316	144
	28,00	30,00	14,0	7,47	158,319	DS-4317	141	NDS-4317	144
	25,00	27,00	10,0	10,50	196,359	DS-4318	141	NDS-4318	144
	24,00	26,00	10,0	11,86	188,505	DS-4319	141	NDS-4319	144
	23,00	25,00	9,0	13,48	200,329	DS-4320	141	NDS-4320	144
	20,00	22,00	8,0	20,50	195,589	DS-4321	141	NDS-4321	144
	19,50	21,50	9,0	22,12	169,844	DS-4322	141	NDS-4322	144
	19,00	21,00	6,0	23,91	246,771	DS-4323	141	NDS-4323	144
	18,50	20,50	6,0	25,90	240,277	DS-4324	141	NDS-4324	144
	16,80	18,80	6,7	34,59	195,671	DS-4325	141	NDS-4325	144
	16,00	18,00	6,0	40,04	207,807	DS-4326	141	NDS-4326	144
	14,00	16,00	5,5	59,77	198,165	DS-4327	141	NDS-4327	144
	13,00	15,00	5,0	74,65	202,211	DS-4328	141	NDS-4328	144
	12,50	14,50	4,8	83,97	202,455	DS-4329	141	NDS-4329	144
	12,00	14,00	4,5	94,91	207,191	DS-4330	141	NDS-4330	144
	10,00	12,00	3,8	164,00	204,181	DS-4331	141	NDS-4331	144
9,00	11,00	3,4	224,97	205,219	DS-4332	141	NDS-4332	144	
8,70	10,70	3,3	249,05	204,349	DS-4333	141	NDS-4333	144	
8,00	10,00	3,1	320,31	199,951	DS-4334	141	NDS-4334	144	
2,20	35,80	38,00	18,0	5,23	191,984	DS-4335	141	NDS-4335	145
	32,80	35,00	16,0	6,80	197,119	DS-4336	141	NDS-4336	145
	29,80	32,00	15,0	9,07	190,659	DS-4337	141	NDS-4337	145
	27,80	30,00	14,0	11,18	190,198	DS-4338	141	NDS-4338	145
	26,00	28,20	12,0	13,66	206,723	DS-4339	141	NDS-4339	145
	23,80	26,00	11,0	17,81	206,030	DS-4340	141	NDS-4340	145
	21,80	24,00	10,0	23,18	207,182	DS-4341	141	NDS-4341	145
	20,00	22,20	8,0	30,01	236,663	DS-4342	141	NDS-4342	145
	17,80	20,00	7,5	42,58	224,451	DS-4343	141	NDS-4343	145



d	Dm	Da	s	c	g	Bestell-Nr.	Preis-	Bestell-Nr.	Preis-
Drahtstärke	mittlerer	äußerer	Steigung	Federrate	Gewicht pro	Stahl	gruppe	Niro	gruppe
	Durchmesser	Durchmesser		N / mm	Feder in Gramm		Stahl		Niro
<b>2,20</b>	16,80	<b>19,00</b>	6,8	50,64	233,326	<b>DS-4344</b>	141	<b>NDS-4344</b>	145
	14,80	<b>17,00</b>	5,6	74,07	249,004	<b>DS-4345</b>	141	<b>NDS-4345</b>	145
	12,80	<b>15,00</b>	4,0	114,49	300,543	<b>DS-4346</b>	141	<b>NDS-4346</b>	145
	10,80	<b>13,00</b>	3,8	190,61	266,824	<b>DS-4347</b>	141	<b>NDS-4347</b>	145
	8,80	<b>11,00</b>	3,4	352,34	242,797	<b>DS-4348</b>	141	<b>NDS-4348</b>	145
<b>2,25</b>	12,35	<b>14,60</b>	4,5	139,46	269,874	<b>DS-4349</b>	142	<b>NDS-4349</b>	145
<b>2,50</b>	43,50	<b>46,00</b>	24,0	4,86	228,544	<b>DS-4350</b>	142	<b>NDS-4350</b>	145
	42,50	<b>45,00</b>	24,0	5,22	223,290	<b>DS-4351</b>	142	<b>NDS-4351</b>	145
	39,50	<b>42,00</b>	23,0	6,50	216,138	<b>DS-4352</b>	142	<b>NDS-4352</b>	145
	37,50	<b>40,00</b>	20,0	7,59	234,620	<b>DS-4353</b>	142	<b>NDS-4353</b>	145
	35,50	<b>38,00</b>	15,0	8,95	293,295	<b>DS-4354</b>	142	<b>NDS-4354</b>	145
	32,00	<b>34,50</b>	13,0	12,22	303,868	<b>DS-4355</b>	142	<b>NDS-4355</b>	145
	28,50	<b>31,00</b>	10,0	17,30	349,764	<b>DS-4356</b>	142	<b>NDS-4356</b>	145
	25,00	<b>27,50</b>	9,0	25,63	340,232	<b>DS-4357</b>	142	<b>NDS-4357</b>	145
	22,50	<b>25,00</b>	8,0	35,15	343,809	<b>DS-4358</b>	142	<b>NDS-4358</b>	145
	20,00	<b>22,50</b>	7,0	50,05	348,578	<b>DS-4359</b>	142	<b>NDS-4359</b>	145
	19,00	<b>21,50</b>	6,0	58,37	385,579	<b>DS-4360</b>	142	<b>NDS-4360</b>	145
	18,00	<b>20,50</b>	7,0	68,65	313,720	<b>DS-4361</b>	142	<b>NDS-4361</b>	145
	17,00	<b>19,50</b>	5,3	81,50	390,016	<b>DS-4362</b>	142	<b>NDS-4362</b>	145
	16,00	<b>18,50</b>	6,0	97,75	324,698	<b>DS-4363</b>	142	<b>NDS-4363</b>	145
	13,50	<b>16,00</b>	5,0	162,74	328,107	<b>DS-4364</b>	142	<b>NDS-4364</b>	145
12,50	<b>15,00</b>	4,5	205,00	337,224	<b>DS-4365</b>	142	<b>NDS-4365</b>	145	
11,00	<b>13,50</b>	4,0	300,82	333,521	<b>DS-4366</b>	142	<b>NDS-4366</b>	145	
<b>2,70</b>	20,00	<b>22,70</b>	6,0	68,09	473,410	<b>DS-4367</b>	142	<b>NDS-4367</b>	145
<b>2,80</b>	45,20	<b>48,00</b>	26,0	6,82	276,024	<b>DS-4368</b>	142	<b>NDS-4368</b>	145
	37,20	<b>40,00</b>	20,0	12,24	291,953	<b>DS-4369</b>	142	<b>NDS-4369</b>	145
	32,20	<b>35,00</b>	15,0	18,87	333,709	<b>DS-4370</b>	142	<b>NDS-4370</b>	145
	27,20	<b>30,00</b>	10,0	31,31	418,731	<b>DS-4371</b>	142	<b>NDS-4371</b>	145
	26,00	<b>28,80</b>	8,0	35,85	498,360	<b>DS-4372</b>	142	<b>NDS-4372</b>	145
	24,00	<b>26,80</b>	9,0	45,57	409,716	<b>DS-4373</b>	142	<b>NDS-4373</b>	145
	17,20	<b>20,00</b>	6,2	123,81	423,892	<b>DS-4374</b>	142	<b>NDS-4374</b>	145
	15,20	<b>18,00</b>	5,5	179,40	421,695	<b>DS-4375</b>	142	<b>NDS-4375</b>	145
<b>3,00</b>	38,00	<b>41,00</b>	10,0	15,13	671,547	<b>DS-4376</b>	142	<b>NDS-4376</b>	145
	37,00	<b>40,00</b>	9,0	16,39	725,103	<b>DS-4377</b>	142	<b>NDS-4377</b>	145
	32,00	<b>35,00</b>	14,8	25,34	385,700	<b>DS-4378</b>	142	<b>NDS-4378</b>	145
	27,00	<b>30,00</b>	10,0	42,18	477,152	<b>DS-4379</b>	142	<b>NDS-4379</b>	145
	24,00	<b>27,00</b>	9,0	60,06	470,337	<b>DS-4380</b>	142	<b>NDS-4380</b>	145
	19,80	<b>22,80</b>	7,3	106,96	476,793	<b>DS-4381</b>	142	<b>NDS-4381</b>	145
	17,80	<b>20,80</b>	6,5	147,21	480,628	<b>DS-4382</b>	142	<b>NDS-4382</b>	145
	16,50	<b>19,50</b>	6,1	184,82	474,366	<b>DS-4383</b>	142	<b>NDS-4383</b>	145
	15,50	<b>18,50</b>	5,6	222,95	484,924	<b>DS-4384</b>	142	<b>NDS-4384</b>	145
	14,50	<b>17,50</b>	5,1	272,34	497,620	<b>DS-4385</b>	142	<b>NDS-4385</b>	145
	12,00	<b>15,00</b>	4,5	480,47	466,179	<b>DS-4386</b>	142	<b>NDS-4386</b>	145

<b>d</b> Drahtstärke	<b>Dm</b> mittlerer Durchmesser	<b>Da</b> äußerer Durchmesser	<b>s</b> Steigung	<b>c</b> Federrate N / mm	<b>g</b> Gewicht pro Feder in Gramm	<b>Bestell-Nr.</b> <b>Stahl</b>	<b>Preis-</b> <b>gruppe</b> <b>Stahl</b>	<b>Bestell-Nr.</b> <b>Niro</b>	<b>Preis-</b> <b>gruppe</b> <b>Niro</b>
<b>3,20</b>	51,80	<b>55,00</b>	30,0	7,73	360,799	<b>DS-4387</b>	144	<b>NDS-4387</b>	147
	46,80	<b>50,00</b>	25,0	10,49	387,477	<b>DS-4388</b>	144	<b>NDS-4388</b>	147
	44,80	<b>48,00</b>	18,0	11,95	508,295	<b>DS-4389</b>	144	<b>NDS-4389</b>	147
	40,00	<b>43,20</b>	15,0	16,79	541,447	<b>DS-4390</b>	144	<b>NDS-4390</b>	147
	32,00	<b>35,20</b>	11,0	32,80	586,082	<b>DS-4391</b>	144	<b>NDS-4391</b>	147
	28,80	<b>32,00</b>	9,0	44,99	642,167	<b>DS-4392</b>	144	<b>NDS-4392</b>	147
	25,00	<b>28,20</b>	7,5	68,79	666,953	<b>DS-4393</b>	144	<b>NDS-4393</b>	147
	20,00	<b>23,20</b>	7,0	134,35	571,111	<b>DS-4394</b>	144	<b>NDS-4394</b>	147
	19,00	<b>22,20</b>	7,0	156,70	542,555	<b>DS-4395</b>	144	<b>NDS-4395</b>	147
	18,00	<b>21,20</b>	6,5	184,29	552,992	<b>DS-4396</b>	144	<b>NDS-4396</b>	147
	16,00	<b>19,20</b>	5,8	262,40	550,112	<b>DS-4397</b>	144	<b>NDS-4397</b>	147
14,80	<b>18,00</b>	5,5	331,54	536,291	<b>DS-4398</b>	144	<b>NDS-4398</b>	147	
<b>3,60</b>	56,40	<b>60,00</b>	22,0	9,60	667,748	<b>DS-4399</b>	147	<b>NDS-4399</b>	148
	36,40	<b>40,00</b>	13,5	35,70	690,865	<b>DS-4400</b>	147	<b>NDS-4400</b>	148
	28,00	<b>31,60</b>	10,0	78,43	712,547	<b>DS-4401</b>	147	<b>NDS-4401</b>	148
	25,00	<b>28,60</b>	9,3	110,18	683,150	<b>DS-4402</b>	147	<b>NDS-4402</b>	148
	21,40	<b>25,00</b>	7,8	175,67	695,180	<b>DS-4403</b>	147	<b>NDS-4403</b>	148
	14,40	<b>18,00</b>	5,5	576,56	660,399	<b>DS-4404</b>	147	<b>NDS-4404</b>	148
<b>4,00</b>	45,00	<b>49,00</b>	18,2	28,80	789,294	<b>DS-4405</b>	147	<b>NDS-4405</b>	148
	40,00	<b>44,00</b>	16,0	41,00	794,676	<b>DS-4406</b>	147	<b>NDS-4406</b>	148
	36,00	<b>40,00</b>	14,5	56,24	786,901	<b>DS-4407</b>	147	<b>NDS-4407</b>	148
	32,00	<b>36,00</b>	12,5	80,08	808,229	<b>DS-4408</b>	147	<b>NDS-4408</b>	148
	30,00	<b>34,00</b>	11,5	97,19	821,995	<b>DS-4409</b>	147	<b>NDS-4409</b>	148
	26,00	<b>30,00</b>	9,5	149,29	859,002	<b>DS-4410</b>	147	<b>NDS-4410</b>	148
	21,00	<b>25,00</b>	7,5	283,34	875,376	<b>DS-4411</b>	147	<b>NDS-4411</b>	148
	17,00	<b>21,00</b>	6,0	534,09	883,179	<b>DS-4412</b>	147	<b>NDS-4412</b>	148
	16,00	<b>20,00</b>	5,9	640,63	845,148	<b>DS-4413</b>	147	<b>NDS-4413</b>	148
	14,00	<b>18,00</b>	5,2	956,27	837,893	<b>DS-4414</b>	147	<b>NDS-4414</b>	148
<b>5,00</b>	45,00	<b>50,00</b>	16,0	70,30	1396,891	<b>DS-4415</b>	149	<b>NDS-4415</b>	152
	39,20	<b>44,20</b>	13,8	106,35	1404,822	<b>DS-4416</b>	149	<b>NDS-4416</b>	152
	38,00	<b>43,00</b>	13,5	116,75	1391,267	<b>DS-4417</b>	149	<b>NDS-4417</b>	152
	35,00	<b>40,00</b>	12,0	149,42	1437,398	<b>DS-4418</b>	149	<b>NDS-4418</b>	152
	30,00	<b>35,00</b>	10,0	237,27	1472,692	<b>DS-4419</b>	149	<b>NDS-4419</b>	152
	26,00	<b>31,00</b>	8,5	364,49	1497,151	<b>DS-4420</b>	149	<b>NDS-4420</b>	152
	20,00	<b>25,00</b>	7,5	800,78	1302,642	<b>DS-4421</b>	149	<b>NDS-4421</b>	152